SORA LIGHTS
ARTIFICIAL SKYLIGHTS
ARCHITECTURAL LUMINAIRES

SORA LIGHTS


Artificial Skylights & Architectural Lighting
Product Catalog







About the Company



Welcome to Sora Lights, where innovation meets illumination. At Sora, we specialize in cutting-edge artificial lighting solutions that perfectly mimic the warmth and brilliance of natural sunlight. Our mission is to bring the beauty of daylight into every space, enhancing well-being and productivity.

Illuminate Your World with Sora Lights. Our artificial lighting is meticulously crafted to replicate the full spectrum of natural sunlight, creating spaces that radiate positivity and energy.

Elevate your commercial spaces with our extensive range of lighting solutions. From kitchens to offices and beyond, Sora offers tailored lighting solutions for every environment.

Discover our diverse product portfolio, including our sleek panel lights, energy-efficient tube lights, premium-grade bulbs, precision spotlights, and flexible track lights for a sophisticated lighting experience.

At Sora, we understand the unique lighting needs of commercial spaces. Our team of experts works closely with architects and designers to create bespoke lighting solutions that enhance functionality and aesthetics.

Sustainability matters to us. Sora is committed to sustainability, and our LED lighting solutions are energy-efficient, reducing your environmental footprint while delivering exceptional performance.

Transform your space with Sora, where every beam is a brushstroke of natural beauty. Illuminate the extraordinary with us.

Iris – Trimless

Trimless COB





LED: Cree/Bridgelux
CRI Options: 80/90/92
Driver: Philips/Osram/Fulham
Type: Surface Mounted
Ratings: 7W, 12W,15W
CCT: 3000K - 5000K
Warranty: 2 Years
Beam Angle: 20°
Housing: Aluminium Die Cast

Iris

Concealed COB





LED: Cree/Bridgelux
CRI Options: 80/90/92
Driver: Philips/Osram/Fulham
Type: Concealed
Ratings: 7W, 12W,15W
CCT: 3000K - 5000K
Warranty: 2 Years
Beam Angle: 20°
Housing: Aluminium Die Cast

Flushline Dual

Trimless COB



LED: Cree/Bridgelux
Driver: Philips/Osram/Fulham
Type: Surface Mounted
Ratings: 7W + 7W, 12W + 12W ,18W + 18W
CCT: 3000K - 5000K
Warranty: 2 Years
Beam Angle: 72°
Housing: Ceramic



Flushline Single

Concealed COB



LED: Cree/Bridgelux
CRI Options: 80/90/92
Driver: Philips/Osram/Fulham
Type: Concealed
Ratings: 7W, 12W,18W
CCT: 3000K - 5000K
Warranty: 2 Years
Beam Angle: 36°
Housing: Aluminium Die Cast



Nexa

120 degree COB



LED: Cree/Bridgelux
CRI Options: 80/90/92
Driver: Philips/Osram/Fulham
Type: Surface Mounted
Ratings: 7W, 12W
CCT: 3000K - 5000K
Warranty: 2 Years
Beam Angle: 120°
Housing: Aluminium Die Cast



Umbra

Movable Semi concealed lights



LED: Cree/Bridgelux
CRI Options: 80/90/92
Driver: Philips/Osram/Fulham
Type: Concealed
Ratings: 7W, 12W
CCT: 3000K - 5000K
Warranty: 2 Years
Beam Angle: 24, 36°
Housing: Aluminium Die Cast



Nova

Trimless COB



LED: Cree/Bridgelux
CRI Options: 80/90/92
Driver: Philips/Osram/Fulham
Type: Surface Mounted
Ratings: 7W, 12W, 15W
CCT: 3000K - 5000K
Warranty: 2 Years
Beam Angle: 36°
Housing: Aluminium Die Cast

Arcus

Movable antiglare focus concealed lights



LED: Cree/Bridgelux
CRI Options: 80/90/92
Driver: Philips/Osram/Fulham
Type: Concealed
Ratings: 7W, 12W, 15W, 18W
CCT: 3000K - 5000K
Warranty: 2 Years
Beam Angle: 30°
Housing: Aluminium Die Cast

Orbix

Trimless COB



LED: Cree/Bridgelux
CRI Options: 80/90/92
Driver: Philips/Osram/Fulham
Type: Surface Mounted
Ratings: 7W, 12W
CCT: 3000K - 5000K
Warranty: 2 Years
Beam Angle: 30°
Housing: Aluminium Die Cast

Eco

Movable focus concealed lights





LED: Cree/Bridgelux
CRI Options: 80/90/92
Driver: Philips/Osram/Fulham
Type: Concealed
Ratings: 7W, 12W, 15W, 18W
CCT: 3000K - 5000K
Warranty: 2 Years
Beam Angle: 30°
Housing: Aluminium Die Cast

WATTAGE	6-8W	10-12W	15-18W
DIAMETER	80MM	85MM	110MM
HEIGHT	77MM	78MM	103MM
CUTOUT	55MM	75MM	95MM

Axon

Wall-mounted movable spotlight



RF 2.4G TRI COLOUR WITH RF + BT + WIFI DIMMING AVAILABLE DALI

LED: Cree/Bridgelux
CRI Options: 80/90/92
Driver: Philips/Osram/Fulham
Type: Surface Mounted
Ratings: 20W, 30W
CCT: 3000K - 5000K
Warranty: 2 Years
Beam Angle: 30°
Housing: Aluminium Die Cast

WATTAGE	10W	20W	30W	40W
DIAMETER	50mm	60mm	80mm	80mm
HEIGHT	135mm	150mm	180mm	195mm

Cylux

Non - Movable focus cylinder lights



RF 2.4G TRI COLOUR WITH RF + BT + WIFI DIMMING AVAILABLE DALI

LED: Cree/Bridgelux
CRI Options: 80/90/92
Driver: Philips/Osram/Fulham
Type: Surface Mounted
Ratings: 7W, 12W, 18W,20W,25W upto 40W
CCT: 3000K - 5000K
Warranty: 2 Years
Beam Angle: 60°
Housing: Aluminium Die Cast

WATTAGE	3-7W	10W	12-18W	20-24W	25-30W	36-40W
DIAMETER	50MM	50mm	60mm	80mm	80mm	80mm
HEIGHT	105MM	135mm	150mm	150mm	180mm	195mm

Swift

Recessed anti glare honeycomb COB light



RF 2.4G TRI COLOUR WITH RF + BT + WIFI DIMMING AVAILABLE DALI

LED: Cree/Bridgelux
CRI Options: 80/90/92
Driver: Philips/Osram/Fulham
Type: Recessed
Ratings: 6W - 20W
CCT: 3000K/4000K/6500K
Warranty: 2 Years
Housing: Aluminium die-cast

WATTAGE	6-10W	10-15W	15-20W
DIAMETER	85mm	100mm	125mm
HEIGHT	50mm	60mm	73mm
CUTOUT	75mm	92mm	115mm

Eclipt

Recessed pullout spotlight



RF 2.4G TRI COLOUR WITH RF + BT + WIFI DIMMING AVAILABLE DALI

LED: Cree/Bridgelux
CRI Options: 80/90/92
Driver: Philips/Osram/Fulham
Type: Recessed
Ratings: 8W, 10W, 12W
CCT: 3000K/4000K/6500K
Warranty: 2 Years
Beam Angle: 38°
Housing: Aluminium Die Cast

WATTAGE	8W	10W	12W
DIAMETER	72mm	85mm	98mm
HEIGHT	100mm	110mm	120mm
CUTOUT	65mm	75mm	100mm

Axis Surface

Surface mounted linear COB light



LED: Cree/Bridgelux
CRI Options: 80/90/92
Driver: Philips/Osram/Fulham
Type: Surface Mounted
Ratings: 6W - 20W
CCT: 3000K/4000K/6500K
Warranty: 2 Years
Housing: Aluminium die-cast



Eclipt Trimless

Recessed trimless pullout spotlight



LED: Cree/Bridgelux
CRI Options: 80/90/92
Driver: Philips/Osram/Fulham
Type: Recessed
Ratings: 8W, 10W, 12W
CCT: 3000K/4000K/6500K
Warranty: 2 Years
Beam Angle: 38°
Housing: Aluminium Die Cast



Noir Pro

Recessed anti glare COB light



RF 2.4G TRI COLOUR WITH RF + BT + WIFI DIMMING AVAILABLE DALI

LED: Cree/Bridgelux
CRI Options: 80/90/92
Driver: Philips/Osram/Fulham
Type: Recessed
Ratings: 12W - 30W
CCT: 3000K - 6500K
Warranty: 2 Years
Housing: Aluminium die-cast
Reflector colours: White, Gold, Rose Gold, Silver, Black, Shiny Black

WATTAGE	12-15W	18-20W	25W
DIAMETER	85mm	105mm	105mm
HEIGHT	101mm	110mm	121mm
CUTOUT	75mm	95mm	95mm

Olive

Recessed Downlight



RF 2.4G TRI COLOUR WITH RF + BT + WIFI DIMMING AVAILABLE DALI

LED: Cree/Bridgelux
CRI Options: 80/90/92
Driver: Philips/Osram/Fulham
Type: Recessed
Ratings: 8W, 10W, 12W
CCT: 3000K/4000K/6500K
Warranty: 2 Years
Beam Angle: 38°
Housing: Aluminium Die Cast
Reflector colours: White, Silver, Gold

WATTAGE	3-7W	3-7W	9W	9W	10-12W	10-12W	15-18W	15-18W
DIAMETER	38MM	40MM	45MM	50MM	55MM	60MM	72MM	75MM
HEIGHT	70MM	72MM	74MM	74MM	72MM	72MM	95MM	95MM
CUTOUT	30MM	35MM	40MM	45MM	50MM	55MM	65MM	70MM

Fiore

Recessed COB light





LED: Cree/Bridgelux
CRI Options: 80/90/92
Driver: Philips/Osram/Fulham
Type: Recessed
Ratings: 6W - 20W
CCT: 3000K/4000K/6500K
Warranty: 2 Years
Housing: Aluminium die-cast
Reflector colours: White, Black, Matte White, Chrome, Rose Gold, Gold

WATTAGE	6-8W	12-15W	15-20W
DIAMETER	70mm	85mm	95mm
HEIGHT	50mm	65mm	75mm
CUTOUT	65mm	75mm	90mm

Acqua

IP65 Recessed Downlight



LED: Cree/Bridgelux
Driver: Philips/Osram/Fulham
Type: Recessed
Ratings: 8W, 10W, 12W
CCT: 3000K/4000K/6500K
Warranty: 2 Years
Beam Angle: 38°
Housing: Aluminium Die Cast

WATTAGE	7-12W	12-18W	20-30W	36-50W	55-80W
DIAMETER	85MM	110MM	135MM	180MM	242MM
HEIGHT	70MM	78MM	91MM	106MM	140MM
CUTOUT	75MM	95MM	125MM	155MM	220MM

Suspended linear light

Linear pendant



LED: Cree/Bridgelux
Driver: Philips/Osram/Fulham
Type: Recessed
Ratings: 36W, 45W, 48W
Driver Efficiency > 85%
CCT: 3000K/4000K/6500K
Warranty: 2 Years
Housing: Aluminium die-cast

Noir Trimless

30° Tiltable trimless COB



LED: Cree/Bridgelux
CRI Options: 80/90/92
Driver: Philips/Osram/Fulham
Type: Recessed
Ratings: 7W, 12W, 18W
CCT: 3000K/4000K/6500K
Warranty: 2 Years
Beam Angle: 5/15/24/36/55
Housing: Aluminium Die Cast
Reflector colours: White, Black, Matte White, Chrome, Gold



WATTAGE	6-8W	10-15W	18-20W	25-30W	32-40W
DIAMETER	65mm	85mm	105mm	105mm	135mm
HEIGHT	78mm	101mm	110mm	121mm	142mm
CUTOUT	55mm	75mm	95mm	95mm	120mm

Noir Antiglare

30° Tiltable Antiglare COB



RF 2.4G TRI COLOUR WITH RF + BT + WIFI DIMMING AVAILABLE DALI 2

LED: Cree/Bridgelux
CRI Options: 80/90/92
Driver: Philips/Osram/Fulham
Type: Recessed
Ratings: 36W, 45W, 48W
CCT: 3000K/4000K/6500K
Warranty: 2 Years
Housing: Aluminium die-cast

WATTAGE	6-8W	10-15W	18-20W	25-30W	32-40W
DIAMETER	65mm	85mm	105mm	105mm	135mm
HEIGHT	78mm	101mm	110mm	121mm	142mm
CUTOUT	55mm	75mm	95mm	95mm	120mm

Noir

Movable COB



RF 2.4G TRI COLOUR WITH RF + BT + WIFI DIMMING AVAILABLE DALI 2

LED: Cree/Bridgelux
Driver: Philips/Osram/Fulham
Type: Recessed
Ratings: 7W, 12W, 18W
CCT: 3000K/4000K/6500K
Warranty: 2 Years
Beam Angle: 5/15/24/36/55
Housing: Aluminium Die Cast
Reflector colours: White, Black, Matte White, Chrome

WATTAGE	6-8W	10-15W	18-20W	25-30W	32-40W
DIAMETER	65mm	85mm	105mm	105mm	135mm
HEIGHT	78mm	101mm	110mm	121mm	142mm
CUTOUT	55mm	75mm	95mm	95mm	120mm

Noir Wall Washer

Movable COB



LED: Cree/Bridgelux
CRI Options: 80/90/92
Driver: Philips/Osram/Fulham
Type: Recessed
Ratings: 7W, 12W, 18W
CCT: 3000K/4000K/6500K
Warranty: 2 Years
Housing: Aluminium die-cast

RF 2.4G TRI COLOUR WITH RF + BT + WIFI DIMMING AVAILABLE DALI

WATTAGE	6-8W	10-15W	18-20W	25-30W	32-40W
DIAMETER	65mm	85mm	105mm	105mm	135mm
HEIGHT	78mm	101mm	110mm	121mm	142mm
CUTOUT	55mm	75mm	95mm	95mm	120mm

Halo Pinspot

COB Spotlight



LED: Cree/Bridgelux
CRI Options: 80/90/92
Driver: Philips/Osram/Fulham
Type: Recessed
Ratings: 7W, 12W, 18W
CCT: 3000K/4000K/6500K
Warranty: 2 Years
Housing: Aluminium Die Cast

RF 2.4G TRI COLOUR WITH RF + BT + WIFI DIMMING AVAILABLE DALI

WATTAGE	5W	8W	10W	12W
DIAMETER	65MM	75MM	85MM	105MM
HEIGHT	51MM	59MM	59MM	62MM
CUTOUT	55MM	65MM	75MM	95MM

Magnetic Tracks – 5mm, 10mm & 23mm Width

Concealed/Surface mounted



Sizes: 1 meter & 2 meter
Installation type: Surface mounted, recessed & suspended

*Drivers available in 100W & 200W specs

Magnetic Linear Profile

Fixture for magnetic tracks



Ratings: 6W, 12W, 18W
Input Voltage: 100V to 300V AC, 50 Hz
Driver Efficiency > 85%
CCT: 3000K - 5000K
Warranty: 2 Years



Dotted Linear Light

Fixture for magnetic tracks



Ratings: 12W, 18W & 24W
CCT: 3000K - 5000K
Warranty: 2 Years



Magnetic Spot Light

Fixture for magnetic tracks



Ratings: 10W, 12W, 20W
CCT: 3000K - 5000K
Warranty: 2 Years



Corner L Profile

Fixture for magnetic tracks



Ratings: 12W, 18W
CCT: 3000K - 5000K
Warranty: 2 Years

Magnetic Pendant Light


Fixture for magnetic tracks



Ratings: 10W, 12W
CCT: 3000K - 5000K
Warranty: 2 Years

Ultra thin tracks

Ultra thin 5mm thick tracks





Sizes: 1 meter, 2 meter & 3 meter
Installation type: Surface mounted

*Drivers available in 100W & 200W specs

Ultra thin Magnetic Spot Light

Fixture for ultra thin magnetic tracks



Ratings: 7W, 12W
CCT: 3000K - 5000K
Warranty: 2 Years

Ultra thin linear spot fixture - movable

Fixture for ultra thin magnetic tracks



Ratings: 10W
CCT: 3000K - 5000K
Warranty: 2 Years

Ultra thin Single Spot Light

Fixture for magnetic tracks



Ratings: 6W
CCT: 3000K - 5000K
Warranty: 2 Years

Ultra thin linear profile fixture

Fixture for ultra thin magnetic tracks



Ratings: 12W, 24W
CCT: 3000K - 5000K
Warranty: 2 Years

Ultra thin Arc Light

Fixture for magnetic tracks



Ratings: 6W
CCT: 3000K - 5000K
Warranty: 2 Years

Veyra IP65

IP65 Light Fixture



LED: Cree/Bridgelux
Driver: Philips/Osram/Fulham
Type: Recessed
Ratings: 3W, 6W, 9W, 12W, 15W
CCT: 3000K/4000K/6500K
Warranty: 2 Years
Beam Angle: 24/36/60
Housing: Plastic body with Aluminium Plate/ Aluminium die-cast

WATTAGE	3-7W	10-12W	15-18W
DIAMETER	65MM	85MM	105MM
HEIGHT	52MM	56MM	68MM
CUTOUT	55MM	75MM	95MM

Optra Pro

COB Downlight with reflector



LED: Cree/Bridgelux
Driver: Philips/Osram/Fulham
Type: Recessed
Ratings: 7W, 12W, 18W
CCT: 3000K/4000K/6500K
Warranty: 2 Years
Beam Angle: 38°
Housing: Aluminium Die Cast

WATT	OUTER SIZE	CUTOUT SIZE	BEAM ANGLE
7W	62X58 MM	55 MM	38°
12W	85X63 MM	75 MM	38°
18W	105X72 MM	95 MM	38°



Track Light

LED Track Light





LED: Cree/Bridgelux
Driver: Philips/Osram/Fulham
Type: Track Light
Ratings: 10W, 20W, 30W
CCT: 3000K/4000K/6500K
Warranty: 2 Years
Beam Angle: 30°
Housing: Aluminium

WATTAGE	6-10W	15-20W	25-30W	30-40W
DIAMETER	50mm	60mm	80mm	80mm
HEIGHT	135mm	150mm	180mm	195mm

Optra

COB Downlight without reflector






LED: Cree/Bridgelux
Driver: Philips/Osram/Fulham
Type: Recessed
Ratings: 7W, 12W, 18W
CCT: 3000K - 5000K
Warranty: 2 Years
Beam Angle: 38°
Housing: Aluminium Die Cast

WATTAGE	3W	7W	12W	18W
DIAMETER	46mm	75mm	85mm	95mm
HEIGHT	44mm	65mm	74mm	93mm
CUTOUT	39mm	65mm	75mm	85mm

Profile Lights







LED strip: Cree/Bridgelux
Driver: Philip
Ratings: 7W, 12W, 18W,20W,25W
CCT: 3000K - 5000K
Warranty: 2 Years
Housing: Aluminium with Diffuser

***Custom shapes available**

Axis

Trimless Linear COB Spotlight


















LED: Cree/Bridgelux
Driver: Philips/Osram/Fulham
Type: Recessed
Ratings: 7W, 12W, 18W,20W,25W
CCT: 3000K - 5000K
Housing: Aluminium Die Cast

MODEL	1WAY	2WAY	3WAY	5WAY	10WAY
WATTAGE	2W	4W	6W	10W	20W
DIAMETER	45X45mm	48X45mm	95X45mm	148X45mm	282x45mm
HEIGHT	32mm	32mm	32mm	32mm	32mm
CUTOUT	35X35mm	58X35mm	85X35mm	139X37mm	272X37mm



Triangle Suspended Profile Lights



LED strip: Cree/Bridgelux
Driver: Philips
CCT: 3000K - 5000K
Warranty: 2 Years
Housing: Aluminium with Diffuser

***Custom shapes available**

Round Suspended Profile Lights



LED strip: Cree/Bridgelux
Driver: Philips
CCT: 3000K - 5000K
Warranty: 2 Years
Housing: Aluminium with Diffuser

***Custom shapes available**

Surface Panel

LED Rimless Surface Panel Light DOB



LED: Cree/Bridgelux
Driver: Philips/Osram/Fulham
Type: LED Surface Panel Light
Ratings: 6W, 12W, 18W, 22W
CCT: 3000K/4000K/6500K
Beam Angle: 120°
Housing: Plastic

Slim Panel

LED Slim Panel Light



LED: Cree/Bridgelux
Driver: Philips/Osram/Fulham
Type: Recessed
Ratings: 3W, 6W, 12W, 18W
CCT: 3000K/4000K/6500K
Beam Angle: 120°
Housing: Plastic

Deep Recessed Light

Deep Recessed Panel



LED: Cree/Bridgelux
Driver: Philips/Osram/Fulham
Type: Surface
Ratings: 10W, 20W
CCT: 3000K/4000K/6500K

Concealed Down Light

LED Concealed Down Light Series



LED: Cree/Bridgelux
Driver: Philips/Osram/Fulham
Type: Recessed
Ratings: 3W, 6W, 9W
CCT: 3000K/4000K/6500K
Beam Angle: 120°


Our Projects





Kohler Studio, Ahmedabad





Office space in Gurgaon, Sector 27





Cafe in Indiranagar, Bengaluru





Fitness Spa Gym, Defence Colony





Osaanj Flagship Store, Okhla

Contact Us:

- Email: Tussharjethani@soralights.in
- Phone: +91 9958953877
- Website: www.soralights.com
- Display Centre: 846/1, Basement, Gadaipur Farms, Ghitorni, New Delhi - 110030

SORA LIGHTS

Follow Us:

- Instagram: @soralights
- Facebook: @soralights
- LinkedIn: Sora Lights

Let's create beautiful spaces together. Contact us for inquiries, customizations, or to place your order today

Sora Lights – Lighting dreams, one room at a time

